

## Nozzle inserts – Pipe floor cleaner Bagger Max XCU

### NOTE!

The nozzle insert specifications are non-binding and may vary by 1/10 mm depending on the vehicle and hose length.

In the following table you will find information about the jetting nozzles and the respective nozzle assembly for the pipe floor cleaner Bagger Max:

<b>Flow</b>	<b>Pressure</b>	<b>Hose length</b>	<b>Hose diameter</b>	<b>Nozzle insert (amount x Ø of the hole)</b>	<b>iPEK set no</b>
330 L/min	170 bar	120 - 240 m	DN 25, G 1"	8 x 2.6 mm	330-0510-00
346 L/min	205 bar	120 - 240 m	DN 25, G 1"	8 x 2.5 mm	330-0508-00
280 L/min	150 bar	120 - 240 m	DN 25, G 1"	8 x 2.4 mm	330-0509-00
406 L/min	175 bar	120 - 240 m	DN 32, G 1 1/4"	8 x 2.6 mm	330-0510-00
500 L/min	150 bar	120 - 240 m	DN 32, G 1 1/4"	8 x 3.2 mm	330-0511-00
640 L/min	150 bar	120 - 240 m	DN 32, G 1 1/4"	8 x 3.8 mm	330-0512-00

## Nozzle inserts – Pipe floor cleaner Bagger Min XCU

**NOTE!**

The nozzle insert specifications are non-binding and may vary by 1/10 mm depending on the vehicle and hose length.

In the following table you will find information about the jetting nozzles and the respective nozzle assembly for the pipe floor cleaner Bagger Min:

<b>Flow</b>	<b>Pressure</b>	<b>Hose length</b>	<b>Hose diameter</b>	<b>Nozzle insert (amount x Ø of the hole)</b>	<b>iPEK set no</b>
330 L/min	170 bar	120 m	DN 25, G 1"	6 x 2,9 mm	330-0518-00
346 L/min	205 bar	120 m	DN 25, G 1"	6 x 2,8 mm	330-0519-00
280 L/min	150 bar	120 m	DN 25, G 1"	6 x 2,7 mm	330-0520-00
330 L/min	170 bar	240 m	DN 25, G 1"	6 x 3,1 mm	330-0521-00
346 L/min	205 bar	240 m	DN 25, G 1"	6 x 3,0 mm	330-0522-00
280 L/min	150 bar	240 m	DN 25, G 1"	6 x 2,9 mm	330-0518-00

## Nozzle inserts – Round jet nozzle XCU

### NOTE!

The nozzle insert specifications are non-binding and may vary by 1/10 mm depending on the vehicle and hose length.

In the following tables you will find information about the nozzle assembly for the Round jet nozzle.

For the round jet nozzle you have 12 inserts in total: six flat jet nozzle inserts and six full-jet ceramics nozzle inserts:

Flow	Pressure	Hose length	Hose diameter	Flat jet		Full-jet ceramics	
				Nozzle insert (amount x Ø of the hole)	iPEK set no	Nozzle insert (amount x Ø of the hole)	iPEK set no
300 L/min	150 bar	120 m / 240 m	DN 25, G 1"	6 x 2.5 mm	330-0525-00	6 x 2.1 mm	330-0533-00
325 L/min	175 bar	120 m / 240 m	DN 25, G 1"	6 x 2.5 mm	330-0525-00	6 x 2.3 mm	330-0531-00
350 L/min	200 bar	120 m / 240 m	DN 25, G 1"	6 x 2.5 mm	330-0525-00	6 x 2.2 mm	330-0532-00
400 L/min	175 bar	120 m / 240 m	DN 32, G 1 1/4"	6 x 2.5 mm	330-0525-00	6 x 2.3 mm	330-0531-00
500 L/min	150 bar	120 m / 240 m	DN 32, G 1 1/4"	6 x 2.5 mm	330-0525-00	6 x 3.1 mm	330-0535-00
650 L/min	150 bar	120 m / 240 m	DN 32, G 1 1/4"	6 x 3.0 mm	330-0530-00	6 x 3.5 mm	330-0536-00